3M Canada Company

1840 Oxford Street East, Post Office Box 5757

London, Ontario N6A 4T1

Medical Emergency Telephone: (519) 451-2500, Ext. 2222

Transportation Emergency Telephone (CANUTEC): (613) 996-6666

\_\_\_\_\_\_

### Material Safety Data Sheet

\_\_\_\_\_

Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Prepared by: Corporate Regulatory Services, 3M Canada Company Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca

\_\_\_\_\_

## 1 Chemical Product and Company Identification

------

# Tradename:

3M BRAND STAINLESS STEEL CLEANER & POLISH

Product ID:

FN-5100-3744-6	XN-1015-7536-5	XN-1015-7228-9	XN-1015-6408-8
XN-1015-5591-2	FS-9100-2648-3	FS-9100-2649-1	FS-9100-2649-3
FZ-0100-0672-9	FZ-0100-0673-7	61-5000-0318-3	61-5000-0869-5
61-5000-6132-2	61-5001-0835-4	70-0708-4135-1	70-0708-4270-6
70-0709-7689-2	96-0000-0064-4	70-0709-9788-0	70-0709-9789-8
70-0711-3340-2	70-0711-3341-0	70-0712-7966-8	70-0713-1355-8

Intended Use of Product:

Stainless Steel Cleaner and Polish

Division:

BUILDING & COMMERCIAL SERVICES

\_\_\_\_\_\_

# 2 Composition/Information on Ingredients

------

Ingredient Name	CAS Number	Percentage
WATER WHITE MINERAL OIL (PETROLEUM) ISOBUTANE SORBITAN OLEATE ETHANOLAMINE NOTE:	7732-18-5 8042-47-5 75-28-5 1338-43-8 141-43-5	40 - 70 10 30 7 - 13 1 2 0.1 1.0

\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_\_

Each percentage is expressed as the ratio of the weight of the ingredient to the weight of the controlled product.

\_\_\_\_\_\_

### 3 Hazards Identification

\_\_\_\_\_\_

### Critical Hazards:

Aerosol container contains flammable gas under pressure.

Moderate Eye Irritation: Signs/symptoms may include redness,
swelling, pain, tearing, and blurred or hazy vision.

Moderate Skin Irritation: Signs/symptoms can include localized
redness, swelling, itching, and dryness.

See Sections 7 and 11 for further information.

\_\_\_\_\_\_

## 4 First Aid Measures

\_\_\_\_\_\_

Instructions for Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Instructions for Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

Instructions for Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

Instructions for Ingestion:

Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get medical attention.

Special Instructions:

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

\_\_\_\_\_\_

## 5 Fire Fighting Measures

\_\_\_\_\_\_

Flash point:

Lower Explosive Limit (%):

Upper Explosive Limit (%):

Autoignition temperature:

Not Available

Not Available

Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Exposure Hazards during Fire:

Closed containers exposed to heat from fire may build pressure and explode. Aerosol container contains gas under pressure. Material will not burn. Vapours may travel long distances along the ground or floor to an ignition source and flash back. (AEROSOL STORAGE

\_\_\_\_\_\_

level is based on NFPA 30B definition)

Combustion Products from Fire:

Carbon monoxide - During Combustion;

Carbon dioxide - During Combustion;

Unusual Fire and Explosion Hazards

None known.

Fire Fighting Procedures:

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

NFPA: Health 1
NFPA: Fire 0
NFPA: Reactivity 0
NFPA: Unusual Reaction Hazard none

Special Instructions:

Aerosol container contains flammable material under pressure.

\_\_\_\_\_\_

### 6 Accidental Release Measures

\_\_\_\_\_\_

### Personal Precautions:

Observe precautions from other sections. Call 3M- HELPS line (1-800-364-3577) for more information on handling and managing the spill.

# Spill Response:

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Remove all ignition sources such as flames, smoking materials, and electrical spark sources. Use only non-sparking tools. Place leaking containers in a well-ventilated area, preferrably in an exhaust hood, if available, or outdoors. Ventilate the area with fresh air. Contain spill.

-----

### 7 Handling and Storage

-----

# Storage Requirements:

Do not store containers on their sides.

Incompatible Materials:

Store away from heat;

Store out of direct sunlight.

Store away from acids;

Store away from oxidizing agents.

Sparks and/or Flames;

Ventilation:

No data available.

Fire Prevention:

Aerosol container contains flammable gas under pressure. Do not spray near flames or sources of ignition.

Explosion Prevention:

Keep away from heat, sparks, open flame, pilot lights and other

sources of ignition.

Use Instructions:

Avoid breathing of vapours, mists or spray. Avoid skin contact. Avoid eye contact with vapours, mists, or spray. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Do not pierce or burn container, even after use. Avoid contact with oxidizing agents.

\_\_\_\_\_\_

## 8 Exposure Controls/Personal Protection

#### Personal Protection \_\_\_\_\_

Eye Protection:

Avoid eye contact with vapours, mists, or spray.

The following should be worn alone or in combination, as

appropriate, to prevent eye contact:

Safety glasses with side shields

Hand Protection:

The following glove material(s) are recommended:

Wear appropriate gloves when handling this material.

neoprene;

nitrile rubber;

Skin Protection:

Avoid skin contact.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for

selection of appropriate compatible materials.

Respiratory Protection:

Avoid breathing of vapours, mists or spray.

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion (Prevention):

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

Keep out of the reach of children.

Recommended Ventilation:

Use in a well-ventilated area.

Do not remain in area where available oxygen may be reduced.

# Ingredient Exposure Data

\_\_\_\_\_

WATER (7732-18-5)

LD50 (rat, oral)

LC50 (rat, inhalation/4 hours) No data available.

> 90 ml/kg

Exposure Limits

No data available.

\_\_\_\_\_\_

WHITE MINERAL OIL (PETROLEUM) (8042-47-5) Specific Ingredient Data No data available. LD50 (rat, oral) No data available. LC50 (rat, inhalation/4 hours) No data available. Exposure Limits CMRG: TWA 10 mg/m3 Category: OIL MIST, MINERAL CMRG: STEL 5 mg/m3 Category: OIL MIST, MINERAL ISOBUTANE (75-28-5) Specific Ingredient Data No data available. LD50 (rat, oral) No data available. LC50 (rat, inhalation/4 hours) No data available. Exposure Limits ACGIH: TWA 1000 ppm SORBITAN OLEATE (1338-43-8) Specific Ingredient Data No data available. LD50 (rat, oral)  $39.8 \, \text{g/kg}$ LC50 (rat, inhalation/4 hours) No data available. Exposure Limits No data available. ETHANOLAMINE (141-43-5) LD50 (rat, oral) 1720 mg/kg LC50 (rat, inhalation/4 hours) No data available. Exposure Limits ACGIH: STEL 15 mg/m3 ACGIH: STEL 6 ppm ACGIH: TWA 7.5 mg/m3

#### -----

# 9 Physical and Chemical Properties

ACGIH: TWA 3 ppm

-----

Physical form, Color, Odour: Liquid; Aerosol; Emulsion; thick; White; citrus odour; Odour Threshold: No data available. 9 - 11 pH: Boiling point/boiling range: Approximately 100.0 C Melting point/melting range: Not Available Vapour pressure: Not Available Water Solubility: Not Available Specific gravity: Approx 1 Water=1 Vapour density: Not Available Volatile organic compounds: 7 - 13 % CARB Evaporation rate: Not Available < 4,500 centipoise Liquid Viscosity:

portion

Percent Volatile:

45 - 85 %

\_\_\_\_\_\_

## 10 Stability and Reactivity

\_\_\_\_\_\_

Conditions to Avoid:

Heat:

Sparks and/or Flames;

Store out of direct sunlight.

Materials to Avoid:

Strong oxidizing agents;

Strong acids;

Hazardous Decomposition:

Carbon monoxide - During Combustion;

Carbon dioxide - During Combustion;

Stability and Reactivity:

Stable. Hazardous polymerization will not occur.

\_\_\_\_\_\_

## 11 Toxicological Information

\_\_\_\_\_

Effects from Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Effects from Skin Contact:

Moderate Skin Irritation: Signs/symptoms can include localized redness, swelling, itching, and dryness.

Effects from Inhalation:

May be absorbed following inhalation and cause target organ effects. Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Intentional concentration and inhalation may be harmful or fatal. Simple Asphyxiation: Signs/symptoms may include increased heart rate, rapid respirations, drowsiness, headache, incoordination, altered judgement, nausea, vomiting, lethargy, seizures, coma, and may be fatal.

Effects from Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Sensitization Information:

No data available.

Carcinogenicity:

No data available.

Mutagenicity:

No data available.

Reproductive Effects:

No data available.

Component Based Information:

No data available.

Product Based Information:

No data available.

Other Effects & Information:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

\_\_\_\_\_\_

## 12 Ecological Information

\_\_\_\_\_\_

#### Environmental Data:

Persistence/Biodegradability:

The components labeled 'readily biodegradable' are expected to fully degrade in wastewater treatment and in most aerobic water or soil environments. The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Bioaccumulation Potential:

The components labeled 'Log Kow <3' have measured or calculated log Kow values <3 indicating they are unlikely to bioconcentrate to high concentrations in aquatic organisms by partitioning into lipid tissues The components labeled 'Bioconcentration-factor (BCF) not determined' have little or no information on their potential to bioconcentrate or accumulate in aquatic organisms.

Ecotoxicity Data:

There is insufficient component information to calculate the ecotoxicity of this product. There is insufficient component information to calculate the wastewater treatment system effects of this product. The components labeled 'No information' have no environmental fate and effects data available. Not determined.

Ecofate Data:

Not determined.

Special statements for 2001/58/EC:

A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.

------

## 13 Disposal Considerations

\_\_\_\_\_\_

Product as Sold:

Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste. Facility must be capable of handling aerosol cans. Dispose of empty product containers in a sanitary landfill. Recycle empty aerosol containers where available.

Product Packaging:

No data available.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

14 Transport Information

\_\_\_\_\_\_

Transportation of Dangerous Goods

\_\_\_\_\_

TDG Classification: Special Information: Consumer Commodity

International Dangerous Goods Classification \_\_\_\_\_\_

15 Regulatory Information

\_\_\_\_\_\_

WHMIS Classification:

A, B5, D2B

XN-1015-7228-9 and XN-1015-6408-8

Exempt (Consumer Product)

## NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Product Certifications:

The product on this MSDS, or all its components, is included on the following countries' chemical inventories, as noted:

DSL - Domestic Substances List (Canada)

EINECS - European Inventory of Existing Commercial Chemical Substances

AICS - Australian Inventory of Chemical Substances

TSCA - Toxic Substances Control Act (USA)

KECI - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Commercial Chemical Substances

MITI - Ministry of International Trade and Industry (JAPAN)

CICS - Chinese Inventory of Chemical Substances

3M BRAND STAINLESS STEEL CLEANER & POLISH

Page 9 of 9 �



\_\_\_\_\_\_

Reason for Reissue:

The following Sections and topics have been updated or revised: Added product id(s) to the MSDS;

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

---End---